



Ref. Certif. No.

FR_705589

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Fixed socket-outlet
Name and address of the applicant	LEGRAND FRANCE 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the manufacturer	LEGRAND FRANCE 128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY 87045 LIMOGES CEDEX FRANCE
Name and address of the factory	See Annex
Note: <i>When more than one factory, please report on page 2</i>	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	16A - 250V~ See Annex
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	/
Model / Type Ref.	Series : VALENA References : See Annex
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013
As shown in the Test Report Ref. No. which forms part of this Certificate	131583-665021A, 136897-675811A, 158526-730187F, 158526-730187G

This CB Test Certificate is issued by the National Certification Body



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Signature: **Didier BOURSES**
Manager of Certification Operations

Date: 29/04/2019

ANNEX

Name and address of the factories:


LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRT
IPARTELEPI UT 14 PF 10
6600 SZENTES
HUNGARY

NP PLASTIC HUNGARIA
IPARIS PARK 07/6
5440 KUNSZENMARTON
HUNGARY



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 29/04/2019



Signature: **Didier Bourges**
Manager of Certification Operations

ANNEX (Continued)

Mechanisms

type reference	LIFE			ALLURE			Number of sockets	Terminals	Shutter	Specificity
	white	ivory	alu	white	ivory	alu				
LXX09	7 531 35	7 532 35	7 533 35	7 530 05	7 530 06	7 530 07	2P+E	slt	with	with USB type C

slt : screwless terminals

Characteristics

Standard sheet	III CEE7 (2P+E)
Rated current (A) / rated voltage (V)	16A / 250V~
Degree de protection	IP20
Method of connecting the cable	Rewirable
Degree of protection against electric shock	Normal protection
Existence of shutters	With shutters
Method of application - mounting	Flush type Surface type with surface box
Method of installation	Design A


Component	Model	Manufacturer	Conformity
USB type C	LXX09	LEGRAND	TR LCIE 158526-730181



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr

Date: 29/04/2019

Signature: **Didier BOURGES**
Manager of Certification Operations



ANNEX (End)

Accessories

Surface box

	ALLURE	LIFE
	1 gang	1 gang
White	7 555 51	7 541 91
Ivory	7 555 61	7 542 01
Aluminium	7 555 71	7 542 11


Plate

design	LIFE	
	Color	1 gang
basic	White	7 540 01 7 540 07
	Ivory	7 540 41 7 540 47
paint full	Aluminium	7 541 31 7 541 37

design	ALLURE	
	Color	1 gang
basic	White	7 543 01
	Ivory	7 543 11
paint full	Aluminium	7 543 91



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 29/04/2019

Signature: **Didier BOURGEOIS**
Manager of Certification Operations